



Notified Body No. 2310
CERTBUD Sp. z o.o.
ul. Mokotowska 46 lok. 8, 00-543 Warszawa



AC 158

Certificate of Conformity of internal production control system 2310-CPR-Z438

Pursuant to the Regulation (EU) No. 305/2011 of the European Parliament and of the Council of 9 March 2011 (CPR), this Certificate concerns the following construction product:

Metal chimneys – System chimney products

trademarked as:

DP double-wall negative-pressure system – chimney

EN 1856-1 - T600 - N1 - W - V_m - L50050 - G(50) for diameters between 60 mm and 250 mm
EN 1856-1 - T600 - N1 - W - V_m - L50060 - G(50) for diameters between 280 mm and 450 mm
EN 1856-1 - T600 - N1 - W - V_m - L50080 - G(50) for diameters between 500 mm and 800 mm

DN double-wall positive-pressure system – chimney

EN 1856-1 - T250 - P1 - W - V_m - L50050 - O(50) for diameters between 60 mm and 250 mm
EN 1856-1 - T250 - P1 - W - V_m - L50060 - O(50) for diameters between 280 mm and 400 mm

DŻ double-wall heat-resistant system – chimney

EN 1856-1 - T600 - N1 - W - V_m - L50100 - G(50) for diameters between 130 mm and 500 mm

Single- and multi-wall system chimney products with rigid metallic liners (chimney sections, chimney fittings and terminals, including supports), used to convey the products of combustion from appliances to the outside atmosphere.

manufactured by:

HMS-Komet Sp. z o.o.

ul. Kolejowa 2, 43-190 Mikołów

at the Production Site

HMS-Komet Sp. z o.o.

ul. Kolejowa 2, 43-190 Mikołów

This is to certify that all the requirements for the assessment and verification of constancy of performance and the performance characteristics as specified in Annex ZA to the standard:

EN 1856-1:2009

under system 2+, with respect to the performance characteristics referred to hereunder, have been satisfied and that the internal production control system meets all the requirements as defined for the respective performance characteristics.

This Certificate supersedes the certificate dated 2 January 2013 and it will remain valid until the testing methods and/or requirements for internal production control systems as defined under the harmonized standard and used for assessment of the declared essential performance characteristics, the construction product itself or the conditions of its production are changed in any substantial way, and provided that the Certificate is not suspended or revoked by the notified certification body.



Director of the Certification Centre

CERTBUD Sp. z o.o.

Kamil Pawłowski
Kamil PAWŁOWSKI

Warsaw, 30 January 2016